

鋼板系

鋼板

| 厚さ | 幅×長さ | | |
|-----|---------------|-----------------|-----------------|
| | 3'x6' | 4'x8' | 5'x10' |
| | 914x 1,829 | 1,219x 2,438 | 1,524x 3,048 |
| 1.6 | | | |
| 2 | | | |
| 2.3 | | | |
| 3.2 | | | |
| 4.5 | | | |
| 6 | | | |
| 8 | | | |
| 9 | | | |
| 10 | | | |
| 12 | | | |
| 14 | | | |
| 16 | | | |
| 19 | | | |

| 厚さ | 幅×長さ | | |
|----|-----------------|-----------------|-----------------|
| | 5'x20' | 7'x20' | 6'x5,550 |
| | 1,524x 6,096 | 2,134x 6,096 | 1,829x 5,550 |
| 9 | | | |
| 10 | | | |
| 12 | | | |
| 14 | | | |
| 16 | | | |
| 19 | | | |
| 22 | | | |
| 25 | | | |
| 28 | | | |
| 30 | | | |
| 32 | | | |
| 36 | | | |
| 38 | | | |
| 40 | | | |
| 42 | | | |
| 45 | | | |
| 50 | | | |

■ : SS400

ミガキ鋼板

| 厚さ | 幅×長さ | | |
|-----|---------------|-----------------|-----------------|
| | 3'x6' | 4'x8' | 5'x10' |
| | 914x 1,829 | 1,219x 2,438 | 1,524x 3,048 |
| 0.3 | | | |
| 0.5 | | | |
| 0.6 | | | |
| 0.8 | | | |
| 1 | | | |
| 1.2 | | | |
| 1.6 | | | |
| 2 | | | |
| 2.3 | | | |
| 3.2 | | | |

鋼板とミガキ鋼板の違い

ミガキ鋼板は、鋼板と違い、黒皮が取り除かれた状態で白銀色の滑らかな表面をしています。寸法精度は高いですが、黒皮がない分錆びやすく、価格は高めとなっております。

縞鋼板

| 厚さ | 1,000x 3,000 | 幅×長さ | | |
|-----|-----------------|---------------|-----------------|-----------------|
| | | 3'x6' | 4'x8' | 5'x10' |
| | | 914x 1,829 | 1,219x 2,438 | 1,524x 3,048 |
| 2.3 | | | | |
| 3.2 | | | | |
| 4.5 | | | | |
| 6 | | | | |
| 9 | | | | |
| 12 | | | | |

ボンデ鋼板

| 厚さ | 幅×長さ | | |
|-----|---------------|-----------------|-----------------|
| | 3'x6' | 4'x8' | 5'x10' |
| | 914x 1,829 | 1,219x 2,438 | 1,524x 3,048 |
| 0.5 | | | |
| 0.6 | | | |
| 0.8 | | | |
| 1 | | | |
| 1.2 | | | |
| 1.6 | | | |
| 2 | | | |
| 2.3 | | | |
| 3.2 | | | |

ヘルデン鋼板

| 厚さ | 幅×長さ | |
|-----|-----------------|-----------------|
| | 4'x8' | 5'x10' |
| | 1,219x 2,438 | 1,524x 3,048 |
| 3.2 | | |
| 4.5 | | |
| 6 | | |
| 9 | | |
| 12 | | |
| 16 | | |
| 19 | | |
| 22 | | |
| 25 | | |

エキスパンドメタル

| 規格 | 厚さ | 幅×長さ | | |
|------|-----|---------------|-----------------|-----------------|
| | | 3'x6' | 4'x8' | 5'x10' |
| | | 914x 1,829 | 1,219x 2,438 | 1,524x 3,048 |
| XG21 | 4.5 | | | |
| XG22 | 6 | | | |
| XS42 | 2.3 | | | |
| XS43 | 3.2 | | | |

ステンレス (SUS304)

| 厚さ | 幅×長さ | | |
|-----|-----------------|-----------------|--------|
| | 1,000x 2,000 | 4'x8' | 5'x10' |
| | 1,219x 2,438 | 1,524x 3,048 | |
| 0.5 | | | |
| 0.6 | | | |
| 0.8 | | | |
| 1 | | | |
| 1.2 | | | |
| 1.5 | | | |
| 2 | | | |
| 2.5 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |

● : 2B

目方向

スタンダードタイプ
(ソロバン目)



グレーチングタイプ
(タタミ目)



平鋼

平鋼


| 幅 | 長さ 5.5m | | | | | | | | |
|-----|---------|-----|---|---|----|----|----|----|----|
| | 厚さ | | | | | | | | |
| | 3 | 4.5 | 6 | 9 | 12 | 16 | 19 | 22 | 25 |
| 13 | | | | | | | | | |
| 16 | | | | | | | | | |
| 19 | | | | | | | | | |
| 22 | | | | | | | | | |
| 25 | | | | | | | | | |
| 32 | | | | | | | | | |
| 38 | | | | | | | | | |
| 44 | | | | | | | | | |
| 50 | | | | | | | | | |
| 65 | | | | | | | | | |
| 75 | | | | | | | | | |
| 90 | | | | | | | | | |
| 100 | | | | | | | | | |
| 125 | | | | | | | | | |
| 150 | | | | | | | | | |

| 幅 | 長さ 6.0m | | | | | | | | |
|-----|---------|---|----|----|----|----|----|----|----|
| | 厚さ | | | | | | | | |
| | 6 | 9 | 12 | 16 | 19 | 22 | 25 | 28 | 32 |
| 60 | | | | | | | | | |
| 70 | | | | | | | | | |
| 80 | | | | | | | | | |
| 110 | | | | | | | | | |
| 165 | | | | | | | | | |
| 175 | | | | | | | | | |
| 180 | | | | | | | | | |
| 200 | | | | | | | | | |
| 250 | | | | | | | | | |
| 300 | | | | | | | | | |
| 350 | | | | | | | | | |
| 400 | | | | | | | | | |

H形鋼 / C形鋼


H形鋼

| 寸法 | | | 長さ | | | | | | |
|---------|-----|----|----|----|----|----|-----|-----|-----|
| H × B | t1 | t2 | 6m | 7m | 8m | 9m | 10m | 11m | 12m |
| 100×100 | 6 | 8 | | | | | | | |
| 125×125 | 6.5 | 9 | | | | | | | |
| 150×150 | 7 | 10 | | | | | | | |
| 200×200 | 8 | 12 | | | | | | | |
| 150×75 | 5 | 7 | | | | | | | |
| 175×90 | 5 | 8 | | | | | | | |
| 200×100 | 5.5 | 8 | | | | | | | |
| 250×125 | 6 | 9 | | | | | | | |
| 300×150 | 6.5 | 9 | | | | | | | |
| 350×175 | 7 | 11 | | | | | | | |
| 400×200 | 8 | 13 | | | | | | | |



C形鋼


| 寸法 | 長さ | | | | | | |
|---------------------|----|----|----|----|-----|-----|-----|
| | 6m | 7m | 8m | 9m | 10m | 11m | 12m |
| t × H × A × C | | | | | | | |
| 1.6 × 60 × 30 × 10 | | | | | | | |
| 2.3 × | | | | | | | |
| 1.6 × 75 × 45 × 15 | | | | | | | |
| 2.3 × | | | | | | | |
| 1.6 × 100 × 50 × 20 | | | | | | | |
| 2.3 × | | | | | | | |
| 3.2 × | | | | | | | |
| 2.3 × 120 × 60 × 20 | | | | | | | |
| 3.2 × | | | | | | | |
| 2.3 × 125 × 50 × 20 | | | | | | | |
| 3.2 × | | | | | | | |
| 3.2 × 150 × 50 × 20 | | | | | | | |
| 3.2 × 150 × 65 × 20 | | | | | | | |
| 3.2 × 150 × 75 × 25 | | | | | | | |
| 3.2 × 200 × 75 × 20 | | | | | | | |



チャンネル

チャンネル

| 寸法 | 長さ | |
|---------------|------|-------------|
| | 5.5m | メッキ 5.5m |
| t1 × B × H | t1 | t2 |
| 5x 40x75 | 5 | 7 |
| 5x 50x100 | 5 | 7.5 |
| 6x 65x125 | 6 | 8 |
| 6.5x 75x150 | 6.5 | 10 |
| 9x | 9 | 12.5 |
| 7x 75x180 | 7 | 10.5 |
| 7.5x 80x200 | 7.5 | 11 |
| 8x 90x200 | 8 | 13.5 |
| 9x 90x250 | 9 | 13 |
| 11x | 11 | 14.5 |
| 9x 90x300 | 9 | 13 |
| 10x | 10 | 15.5 |
| 12x | 12 | 16 |
| 10.5x 100x380 | 10.5 | 16 |
| 13x | 6.5 | 20 |





アングル

アングル

| 寸法 | 長さ | | |
|-------------|------|-----------|-------------|
| | 5.5m | カラー 6m | メッキ 5.5m |
| t × A × B | | | |
| 3x 20x20 | | | |
| 3x 25x25 | | | |
| 3x 30x30 | | | |
| 5x | | | |
| 3x 40x40 | | | |
| 5x | | | |
| 4x 50x50 | | | |
| 6x | | | |
| 8x | | | |
| 6x 65x65 | | | |
| 8x | | | |
| 6x 75x75 | | | |
| 9x | | | |
| 12x | | | |
| 7x 90x90 | | | |
| 10x | | | |
| 13x | | | |
| 7x 100x100 | | | |
| 10x | | | |
| 13x | | | |
| 9x 130x130 | | | |
| 12x | | | |
| 15x | | | |
| 12x 150x150 | | | |
| 15x | | | |

不等辺アングル

| 寸法 | 長さ |
|------------|------|
| t × A × B | 5.5m |
| 9x 75x90 | |
| 7x 75x100 | |
| 10x | |
| 13x | |
| 7x 75x125 | |
| 10x | |
| 13x | |
| 10x 90x125 | |
| 13x | |
| 9x 90x150 | |
| 12x | |
| 15x | |
| 9x 100x150 | |
| 12x | |
| 15x | |





丸鋼 / 角鋼 / 異形丸鋼

丸鋼

| 径 D | 長さ | |
|--------|------|------|
| | 5.5m | 6.0m |
| 6 | | |
| 9 | | |
| 13 | | |
| 16 | | |
| 19 | | |
| 22 | | |
| 25 | | |
| 28 | | |
| 32 | | |
| 36 | | |
| 38 | | |
| 42 | | |
| 44 | | |
| 48 | | |
| 50 | | |
| 55 | | |
| 60 | | |
| 65 | | |
| 70 | | |

角鋼

| 辺長 A | 長さ 5.5m |
|---------|------------|
| 9.5 | |
| 12.7 | |
| 16 | |
| 19 | |
| 22 | |
| 25 | |
| 28 | |
| 32 | |
| 38 | |
| 44 | |
| 50 | |
| 65 | |
| 75 | |
| 90 | |
| 100 | |




● : SR235

異形丸鋼

| 呼称 | 公称直径 D | 長さ | | | | | | | | |
|-----|-----------|------|------|------|------|------|------|------|------|------|
| | | 4.0m | 4.5m | 5.0m | 5.5m | 6.0m | 6.5m | 7.0m | 7.5m | 8.0m |
| D10 | 9.53 | | | | | | | | | |
| D13 | 12.7 | | | | | | | | | |
| D16 | 15.9 | | | | | | | | | |
| D19 | 19.1 | | | | | | | | | |
| D22 | 22.2 | | | | | | | | | |
| D25 | 25.4 | | | | | | | | | |
| D29 | 28.6 | | | | | | | | | |
| D32 | 31.8 | | | | | | | | | |
| D35 | 34.9 | | | | | | | | | |
| D38 | 38.1 | | | | | | | | | |
| D41 | 41.3 | | | | | | | | | |
| D51 | 50.8 | | | | | | | | | |

● : SD295 ■ : SD345



● : 本社在庫 ■ : 玉穂工場在庫 ○ : 無くなり次第、在庫を置かない商品

角パイプ

角パイプ (STKMR)


| | 寸法 | 長さ |
|-------------|------------|------|
| | t x A x B | 5.5m |
| 角 だ し | 1.2x 11x11 | |
| | 1.6x 13x13 | |
| | 1.2x 14x14 | |
| | 1.2x 16x16 | |
| | 1.6x | |
| | 1.2x 19x19 | |
| | 1.6x | |
| | 1.2x 21x21 | |
| | 1.6x | |
| | 1.2x 24x24 | |
| | 1.6x | |
| | 1.2x 25x25 | |
| | 1.6x | |
| | 1.2x 28x28 | |
| | 1.6x | |
| | 1.2x 32x32 | |
| | 1.6x | |
| | 1.6x 38x38 | |
| | 1.6x 45x45 | |
| | 1.2x 22x10 | |
| | 1.2x 25x12 | |
| | 1.6x | |
| | 1.2x 32x14 | |
| | 1.6x | |
| | 1.2x 28x18 | |
| | 1.6x | |
| | 1.2x 40x16 | |
| | 1.6x | |
| | 1.2x 40x25 | |
| | 1.6x | |
| | 1.6x 50x26 | |
| | 1.6x 60x30 | |
| 1.6x 70x25 | | |
| 1.6x 60x35 | | |
| 1.6x 84x32 | | |
| R 付 き | 1.2x 26x26 | |
| | 1.6x | |
| | 1.2x 31x31 | |
| | 1.6x | |
| | 1.6x 40x40 | |
| | 1.2x 30x20 | |
| | 1.6x | |
| | 1.2x 40x20 | |
| | 1.6x | |
| | 1.6x 50x30 | |
| | 1.6x 60x35 | |
| | 1.6x 70x25 | |
| | 1.6x 70x30 | |
| | 1.6x 80x40 | |
| 1.6x 90x30 | | |

★：対応ライトキャップ在庫あり

角パイプ (STKR)

| 寸法 | 長さ | | | | |
|--------------|----|----|-----|-----|--|
| | 6m | 8m | カラー | | |
| 6m | | | 8m | 10m | |
| t x A x B | | | | | |
| 2.3x 30x30 | | | | | |
| 2.0x 40x40 | | | | | |
| 2.3x | | | | | |
| 1.6x 50x50 | | | | | |
| 2.3x | | | | | |
| 3.2x | | | | | |
| 1.6x 60x60 | | | | | |
| 2.3x | | | | | |
| 3.2x | | | | | |
| 1.6x 60x60 | | | | | |
| 2.3x | | | | | |
| 3.2x | | | | | |
| 2.3x 75x75 | | | | | |
| 3.2x | | | | | |
| 2.3x 100x100 | | | | | |
| 3.2x | | | | | |
| 4.5x | | | | | |
| 6.0x | | | | | |
| 3.2x 125x125 | | | | | |
| 4.5x | | | | | |
| 6.0x | | | | | |
| 4.5x 150x150 | | | | | |
| 6.0x | | | | | |
| 6.0x 175x175 | | | | | |
| 2.3x 40x20 | | | | | |
| 2.3x 50x30 | | | | | |
| 1.6x 60x30 | | | | | |
| 2.3x | | | | | |
| 3.2x | | | | | |
| 2.3x 75x45 | | | | | |
| 3.2x | | | | | |
| 3.2x 80x40 | | | | | |
| 2.3x 100x50 | | | | | |
| 3.2x | | | | | |
| 4.5x | | | | | |
| 6.0x | | | | | |
| 2.3x 125x75 | | | | | |
| 3.2x | | | | | |
| 6.0x | | | | | |
| 3.2x 150x100 | | | | | |
| 4.5x | | | | | |
| 6.0x | | | | | |
| 4.5x 200x100 | | | | | |
| 6.0x | | | | | |


★：対応ライトキャップ在庫あり



コラム

コラム (BCR)

| 寸法 | | 長さ 8m |
|---------|----|----------|
| A × B | t | |
| 200×200 | 6 | |
| | 8 | |
| | 9 | |
| | 12 | |
| 250×250 | 6 | |
| | 9 | |
| | 12 | |
| | 16 | |
| 300×300 | 6 | |
| | 9 | |
| | 12 | |
| | 16 | |
| 350×350 | 9 | |
| | 12 | |
| | 16 | |
| | 19 | |
| 400×400 | 9 | |
| | 12 | |
| | 16 | |
| | 19 | |



▲：対応裏当てのみ在庫あり

丸パイプ

丸パイプ (STK)


| 寸法 | | 長さ 5.5m |
|------|-----|------------|
| φ | t | |
| 21.7 | 1.9 | |
| 27.2 | | |
| 21.7 | 2.3 | |
| 27.2 | | |
| 34 | | |
| 42.7 | | |
| 48.6 | | |
| 60.5 | 2.8 | |
| 21.7 | | |
| 27.2 | | |
| 60.5 | | |
| 76.3 | | |

丸パイプ (STKM)

| 寸法 | | 長さ 5.5m |
|------|-----|------------|
| φ | t | |
| 15.9 | 1.2 | |
| | 1.6 | |
| | 2 | |
| 19.1 | 1 | |
| | 1.2 | |
| | 1.6 | |
| | 2 | |
| 22.2 | 1.2 | |
| | 1.6 | |
| | 2 | |
| 25.4 | 1.2 | |
| | 1.6 | |
| | 2 | |
| | 2.3 | |
| | 3.2 | |
| 28.6 | 1.2 | |
| | 1.6 | |
| | 2 | |
| 31.8 | 1.2 | |
| | 1.6 | |
| | 2 | |
| | 2.3 | |

丸パイプ (SGP)

| JIS呼称 | 寸法 | | 長さ 5.5m |
|-------|--------|-------|------------|
| | φ | t | |
| 6A | 1/8B | 10.5 | 2 |
| 8A | 1/4B | 13.8 | 2.3 |
| 10A | 3/8B | 17.3 | |
| 15A | 1/2B | 21.7 | 2.8 |
| 20A | 3/4B | 27.2 | |
| 25A | 1B | 34 | 3.2 |
| 32A | 1 1/4B | 42.7 | 3.5 |
| 40A | 1 1/2B | 48.6 | |
| 50A | 2B | 60.5 | 3.8 |
| 65A | 2 1/2B | 76.3 | 4.2 |
| 80A | 3B | 89.1 | |
| 90A | 3 1/2B | 101.6 | |
| 100A | 4B | 114.3 | 4.5 |
| 125A | 5B | 139.8 | |
| 150A | 6B | 165.2 | 5 |
| 175A | 7B | 190.7 | 5.3 |
| 200A | 8B | 216.3 | 5.8 |
| 225A | 9B | 241.8 | 6.2 |
| 250A | 10B | 267.4 | 6.6 |
| 300A | 12B | 318.5 | 6.9 |
| 350A | 14B | 355.6 | 7.9 |
| 400A | 16B | 406.4 | |



：本社在庫 ：玉穂工場在庫 ：無くなり次第、在庫を置かない商品

その他

アンカーピン

| 寸法 | |
|-----------|--|
| 9×200×30 | |
| 9×400×30 | |
| 13×600×35 | |
| 16×400×40 | |

異形ストレートピン

| 寸法 | |
|-----------|--|
| D10×400 | |
| D13×500 | |
| D16×750 | |
| D16×1,000 | |
| D19×800 | |
| D19×1,000 | |

■ : SD345

異形アンカーピン

| 寸法 | |
|------------|--|
| D10×200×35 | |
| D10×350×30 | |
| D10×400×35 | |
| D13×600×35 | |

クリンプ金網

| 寸法 | |
|-----------|--|
| 200×1,000 | |
| 300×1,000 | |

規格： 2.3/25×15目

菱形金網

| 寸法 | |
|--------|--|
| 2m×5m | |
| 2m×10m | |

規格： 2.0/50×50目

フレーム（FCタイプ）

| 寸法 | |
|----------------|--|
| FC-200 L=1,000 | |
| FC-200 L=1,300 | |

ワイヤーメッシュ

| 寸法 | | 幅×長さ 1m×2m |
|-----|-----|---------------|
| 線径 | 網目 | |
| 2.6 | 50 | |
| | 100 | |
| 3.2 | 50 | |
| | 100 | |
| | 150 | |
| 5.0 | 50 | |
| | 100 | |
| | 150 | |
| 6.0 | 50 | |
| | 100 | |
| | 150 | |

フィットスペーサー

| 品番 | |
|-------|--|
| F-30 | |
| F-40 | |
| F-50 | |
| F-60 | |
| F-70 | |
| F-80 | |
| F-100 | |
| F-150 | |
| F-200 | |

結束線（Uタイプ）

| 品番 | |
|-----------------|--|
| #21×300 (U-300) | |
| #21×350 (U-350) | |
| #21×400 (U-400) | |
| #21×450 (U-450) | |
| #21×500 (U-500) | |
| #21×550 (U-550) | |
| #21×600 (U-600) | |
| #21×650 (U-650) | |

材質：メッキ

ピース

| 規格 | |
|----------------|--|
| 5032-S (60-1) | |
| 5032-D (60-2) | |
| 6040-S (75-1) | |
| 6040-D (75-2) | |
| 8053-S (100-1) | |
| 8053-D (100-2) | |