

鋼板系

■ 鋼板

厚さ	幅×長さ		
	3'×6'	4'×8'	5'×10'
	914× 1,829	1,219× 2,438	1,524× 3,048
1.6	●	●	●
2			
2.3	●	●	●
3.2	●	●	●
4.5	●	●	●
6	●	●	●
8			
9	●	●	●
10			
12	●	●	
14			
16			
19			

厚さ	幅×長さ		
	5'×20'	7'×20'	6'×5,550
	1,524× 6,096	2,134× 6,096	1,829× 5,550
9		■	
10			
12		■	
14			
16		■	
19		■	
22		■	
25		■	
28		■	
30			
32		■	
36			■
38			
40			
42			
45			
50			

■ : SS400

■ ミガキ鋼板

厚さ	幅×長さ	
	3'×6'	4'×8'
	914× 1,829	1,219× 2,438
0.4		—
0.5		—
0.6		—
0.8	●	
1	●	●
1.2	●	●
1.6	●	●
2	●	
2.3	●	●
2.6		
2.9		
3.2	●	

鋼板とミガキ鋼板の違い

ミガキ鋼板は、鋼板と違い、黒皮が取り除かれた状態で白銀色の滑らかな表面をしています。寸法精度は高いですが、黒皮がない分酸化しやすいです。

■ 縞鋼板

厚さ	幅×長さ			
	1,000× 3,000	3'×6'	4'×8'	5'×10'
		914× 1,829	1,219× 2,438	1,524× 3,048
2.3		●		—
3.2		●	●	●
4.5		●	●	●
6		●	●	●
9		●	●	
12				

■ ボンデ鋼板

厚さ	幅×長さ		
	3'×6'	4'×8'	5'×10'
	914× 1,829	1,219× 2,438	1,524× 3,048
0.6		—	—
0.8			—
1			—
1.2			—
1.6	●	●	
2.3			
3.2			

■ 高張力鋼板 (55K鋼)

厚さ	幅×長さ	
	4'×8'	5'×10'
	1,219× 2,438	1,524× 3,048
3.2		
4.5		
6	●	
9	●	
12	●	
16	○	
19		
22		
25		

■ エキスパンドメタル

規格	厚さ	幅×長さ		
		3'×6'	4'×8'	5'×10'
		914× 1,829	1,219× 2,438	1,524× 3,048
XG21	4.5	●	●	
XG22	6	●	●	
XS42	2.3	●	●	
XS43	3.2	●	●	

目方向

スタンダードタイプ
(ソロバン目)



グレーチングタイプ
(タタミ目)



■ ステンレス (SUS304)

厚さ	幅×長さ		
	1,000× 2,000	4'×8'	5'×10'
		1,219× 2,438	1,524× 3,048
0.5			—
0.6			—
0.8			—
1	●		
1.2	●		
1.5	●	●	
2	●	●	
2.5			
3	●	●	
4			
5			
6			

● : 2B

● : 本社在庫 ● : 玉穂工場在庫
○ : 在庫成行 (要問い合わせ)

平鋼

■平鋼

幅	長さ 5.5m								
	厚さ								
	3	4.5	6	9	12	16	19	22	25
13	○	●	●	—	—	—	—	—	—
16		●	●	●	—	—	—	—	—
19		●	●	●	—	—	—	—	—
22		●	●	●	—	—	—	—	—
25	●	●	●	●	●	—	—	—	—
32	●	●	●	●	●	—	—	—	—
38	●	●	●	●	●	—	—	—	—
44		●	●	●	●	—	—	—	—
50	●	●	●	●	●	—	—	—	—
65	○	●	●	●	●	—	—	—	—
75	—	●	●	●	●	—	—	—	—
90	—		●	●	●	—	—	—	—
100	—	●	●	●	●	—	—	—	—
125	—			●	●	—	—	—	—
150	—			●	●	—	—	—	—


幅	長さ 6.0m								
	厚さ								
	6	9	12	16	19	22	25	28	32
60		●		—	—	—	—	—	—
70		●				—	—	—	—
80		●				—	—	—	—
110						—	—	—	—
165					—	—	—	—	—
175						—	—	—	—
180							—	—	—
200		●	●						
250	—	●	●						
300	—	●	●						
350	—	—						—	—
400	—	—						—	—

● : 本社在庫 ● : 玉穂工場在庫
○ : 在庫成行 (要問い合わせ)

H形鋼 / C形鋼


■ H形鋼

寸法			長さ						
H × B	t1	t2	6m	7m	8m	9m	10m	11m	12m
100×100	6	8		●	●	●	●		
125×125	6.5	9		●	●	●	●		
150×150	7	10		●	●	●	●		
200×200	8	12							
150×75	5	7		●	●	●	●		
175×90	5	8		●	●	●	●	○	
200×100	5.5	8		●	●	●	●		
250×125	6	9		●	●	●	●		
300×150	6.5	9		●	●	●	●		
350×175	7	11							
400×200	8	13							



■ C形鋼


寸法 t × H × A × C	長さ カラー						
	6m	7m	8m	9m	10m	11m	12m
1.6× 60×30×10	●		●				
2.3×	●		●				
1.6× 75×45×15			●				
2.3×		●	●	●	●		
1.6× 100×50×20			●				
2.3×		●	●	●	●		
3.2×		●	●				
2.3× 120×60×20							
3.2×							
2.3× 125×50×20							
3.2×							
3.2× 150×50×20							
3.2× 150×65×20							
3.2× 150×75×25							
3.2× 200×75×20							



チャンネル

■チャンネル

寸法			長さ	
t1 × B × H	t1	t2	5.5m	メッキ 5.5m
5× 40×75	5	7	●	
5× 50×100	5	7.5	●	●
6× 65×125	6	8	●	
6.5× 75×150	6.5	10	●	
9×	9	12.5	●	
7× 75×180	7	10.5		
7.5× 80×200	7.5	11	●	
8× 90×200	8	13.5	●	
9× 90×250	9	13		
11×	11	14.5		
9× 90×300	9	13		
10×	10	15.5		
12×	12	16		
10.5× 100×380	10.5	16		
13×	6.5	20		





アングル

■アングル

寸法 t × A × B	長さ		
	5.5m	カラー 6m	メッキ 5.5m
3× 20×20	●		
3× 25×25	●		
3× 30×30	●	●	
5×	●		
3× 40×40	●	●	
5×	●		
4× 50×50	●	●	●
6×	●	●	●
8×			
6× 65×65	●	●	
8×	●		
6× 75×75	●	●	
9×	●		
12×			
7× 90×90	●		
10×	●		
13×			
7× 100×100	●		
10×	●		
13×			
9× 130×130			
12×			
15×			
12× 150×150			
15×			

■不等辺アングル

寸法 t × A × B	長さ
	5.5m
9× 75×90	
7× 75×100	●
10×	
13×	
7× 75×125	●
10×	
13×	
10× 90×125	
13×	
9× 90×150	
12×	
15×	
9× 100×150	
12×	
15×	





丸鋼 / 角鋼 / 異形丸鋼

■ 丸鋼

径 D	長さ	
	5.5m	6.0m
6	●	
9	●	
13	●	
16	●	
19	●	○
22	●	○
25	●	
28		
32		
36		
38		
42		
44		
48		
50		
55		
60		
65		
70		

■ 角鋼

辺長 A	長さ 5.5m
9.5	●
12.7	●
16	●
19	●
22	●
25	●
28	
32	●
38	●
44	●
50	●
65	
75	
90	
100	




● : SR235

■ 異形丸鋼

呼称	公称直径 D	長さ								
		4.0m	4.5m	5.0m	5.5m	6.0m	6.5m	7.0m	7.5m	8.0m
D10	9.53			●	●■	●				
D13	12.7			●	●■	●				
D16	15.9				●■	●				
D19	19.1				■					
D22	22.2									
D25	25.4									
D29	28.6									
D32	31.8									
D35	34.9									
D38	38.1									
D41	41.3									
D51	50.8									

● : SD295 ■ : SD345



● : 本社在庫 ● : 玉穂工場在庫
○ : 在庫成行 (要問い合わせ)

角パイプ


■角パイプ (STKMR)

寸法	長さ
1.2 × 11 × 11	
1.6 × 13 × 13	●
1.2 × 14 × 14	
1.2 × 16 × 16	
1.6 ×	★
1.2 × 19 × 19	
1.6 ×	★
1.2 × 21 × 21	
1.6 ×	★
1.2 × 24 × 24	
1.6 ×	
1.2 × 25 × 25	
1.6 ×	★
1.2 × 28 × 28	
1.6 ×	
1.2 × 32 × 32	
1.6 ×	
1.6 × 38 × 38	
1.6 × 45 × 45	
1.2 × 22 × 10	★
1.2 × 25 × 12	
1.6 ×	●
1.2 × 32 × 14	
1.6 ×	●
1.2 × 28 × 18	
1.6 ×	
1.2 × 40 × 16	
1.6 ×	
1.2 × 40 × 25	
1.6 ×	★
1.6 × 50 × 26	★
1.6 × 60 × 30	
1.6 × 70 × 25	
1.6 × 60 × 35	
1.6 × 84 × 32	
1.2 × 26 × 26	
1.6 ×	
1.2 × 31 × 31	
1.6 ×	★
1.6 × 40 × 40	★
1.2 × 30 × 20	
1.6 ×	★
1.2 × 40 × 20	
1.6 ×	★
1.6 × 50 × 30	★
1.6 × 60 × 35	
1.6 × 70 × 25	
1.6 × 70 × 30	
1.6 × 80 × 40	
1.6 × 90 × 30	

■角パイプ (STKR)

寸法	長さ				
	6m	8m	カラー		
t × A × B	6m	8m	6m	8m	10m
2.3 × 30 × 30	●				
2.0 × 40 × 40					
2.3 ×	●				
1.6 × 50 × 50	★				
2.3 ×	●		●		
3.2 ×	●				
4.5 ×					
6.0 ×					
1.6 × 60 × 60	★				
2.3 ×	●		●		
3.2 ×	●				
4.5 ×					
2.3 × 75 × 75	★		★	★	
3.2 ×	●				
4.5 ×					
6.0 ×					
2.3 × 100 × 100	★	★	★	★	★
3.2 ×	●	●	●	●	●
4.5 ×	●	●			
6.0 ×					
3.2 × 125 × 125	●				
4.5 ×					
6.0 ×					
4.5 × 150 × 150		●			
6.0 ×					
6.0 × 175 × 175		●			
2.3 × 40 × 20	●				
2.3 × 50 × 30	●				
1.6 × 60 × 30	★				
2.3 ×	●		●		
3.2 ×	●				
2.3 × 75 × 45	★		★		
3.2 ×	●				
4.5 ×					
3.2 × 80 × 40	●				
2.3 × 100 × 50	★		★	★	
3.2 ×	●				
4.5 ×					
6.0 ×					
2.3 × 125 × 75					
3.2 ×					
4.5 ×					
6.0 ×					
3.2 × 150 × 100					
4.5 ×					
6.0 ×		●			
4.5 × 200 × 100					
6.0 ×					

★：対応ライトキャップ在庫あり




★：対応ライトキャップ在庫あり

●：本社在庫 ●：玉穂工場在庫
○：在庫成行 (要問い合わせ)

コラム

■コラム (BCR)

寸法		長さ 8m
A × B	t	
200×200	6	●
	8	
	9	●
	12	▲
250×250	6	
	9	●
	12	●
	16	
300×300	6	
	9	
	12	
	16	
	19	
350×350	9	
	12	
	16	
	19	
400×400	9	
	12	
	16	
	19	



▲：対応裏当てのみ在庫あり

丸パイプ

■丸パイプ (STK)


寸法		長さ 5.5m
φ	t	
21.7	1.9	●
27.2		●
21.7	2.3	
27.2		●
34		●
42.7		●
48.6		●
60.5		●
21.7	2.8	
27.2		
60.5		
76.3		●

■丸パイプ (STKM)

寸法		長さ 5.5m
φ	t	
15.9	1.2	
	1.6	●
	2	
19.1	1	
	1.2	
	1.6	●
	2	
22.2	1.2	
	1.6	
	2	
25.4	1.2	
	1.6	●
	2	
	2.3	
	3.2	
28.6	1.2	
	1.6	
	2	
31.8	1.2	
	1.6	●
	2	
	2.3	

■丸パイプ (SGP)

JIS呼称		寸法		長さ 5.5m
		φ	t	
6A	1/8B	10.5	2	●
8A	1/4B	13.8	2.3	●
10A	3/8B	17.3		●
15A	1/2B	21.7	2.8	●
20A	3/4B	27.2		●
25A	1B	34	3.2	●
32A	1 1/4B	42.7	3.5	●
40A	1 1/2B	48.6		●
50A	2B	60.5	3.8	●
65A	2 1/2B	76.3		●
80A	3B	89.1	4.2	●
90A	3 1/2B	101.6		●
100A	4B	114.3	4.5	●
125A	5B	139.8		●
150A	6B	165.2	5	●
175A	7B	190.7	5.3	●
200A	8B	216.3	5.8	●
225A	9B	241.8	6.2	
250A	10B	267.4	6.6	
300A	12B	318.5	6.9	
350A	14B	355.6	7.9	
400A	16B	406.4		



●：本社在庫 ●：玉穂工場在庫
○：在庫成行 (要問い合わせ)

土木建材

■ アンカーピン

寸法	
φ9×200×30	●
φ9×400×30	○
φ13×600×35	
φ16×400×40	●

■ 異形ストレートピン

寸法	
D10×400	● ■
D13×500	● ■
D16×750	● ■
D16×1,000	●
D19×800	●
D19×1,000	●

■ : SD345

■ 異形アンカーピン

寸法	
D10×200×35	●
D10×350×30	●
D10×400×35	●
D13×600×35	

■ クリンパ金網

寸法	
200×1,000	●
300×1,000	●

規格 : φ2.3/25×15目

材質 : 亜鉛メッキ

■ 菱形金網

寸法	
2m×5m	○
2m×10m	●

規格 : φ2.0/50×50目

材質 : 亜鉛メッキ

■ フレーム (FCタイプ)

寸法	
FC-200 L=1,000	●
FC-200 L=1,300	●

材質 : 亜鉛メッキ

■ ワイヤメッシュ

寸法		幅×長さ 1m×2m
線径	網目	
φ2.6	50	
	100	
φ3.2	50	
	100	
	150	
φ5.0	50	
	100	
	150	●
φ6.0	50	
	100	
	150	

■ フィットスペーサー

品番	
F-30	
F-40	
F-50	●
F-60	
F-70	●
F-80	●
F-100	●
F-150	
F-200	

■ 結束線 (Uタイプ)

品番	
#21×300 (U-300)	
#21×350 (U-350)	●
#21×400 (U-400)	●
#21×450 (U-450)	●
#21×500 (U-500)	
#21×550 (U-550)	
#21×600 (U-600)	
#21×650 (U-650)	

材質 : 亜鉛メッキ

■ ピース

規格	
5032-S (60-1)	●
5032-D (60-2)	
6040-S (75-1)	●
6040-D (75-2)	
8053-S (100-1)	●
8053-D (100-2)	